



Pirani gauge TPR 018, DN 40 CF-F


TPR 018



Pirani gauge TPR 018, DN 40 CF-F

- Flange size DN 40 CF-F
- For UHV
- Limited measurement and switching accuracy above 100 and below 10^{-3} hPa

Dimensions



Technical Data	Pirani gauge TPR 018, DN 40 CF-F
Insulator	Al ₂ O ₃
Measuring range	8E-4 – 1 · 10 ³ hPa
Materials in contact with media	Stainless steel
Radiation resistance	1 · 10 ⁶ Gy
Anode	130727
Ambient temperature	0 – 120 °C
Filament holder	W Ni
Attribute	Metal sealed
Measuring method	Pirani
Weight	0.6 kg 1.32 lb
Connection flange	DN 40 CF-F
Filament	Tungsten

Order number	Pirani gauge TPR 018, DN 40 CF-F
Pirani gauge TPR 018, DN 40 CF-F	PT R15 014



Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum GmbH


Germany

T +49 6441 802-0

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 10/7/2024

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

