




PFEIFFER




Illustration only

Pirani gauge TPR 010, DN 10 ISO-KF

- Flange size DN 10 ISO-KF
- For general applications
- Limited measurement and switching accuracy above 100 and below 10^{-3} hPa

Dimensions



TPR 010

Technical Data	Pirani gauge TPR 010, DN 10 ISO-KF
Insulator	FKM
Measuring range	$8 \cdot 10^{-4} - 1 \cdot 10^3$ hPa
Materials in contact with media	AlSiMg
Anode	130727
Ambient temperature	0 – 70 °C
Filament holder	W Ni
Special feature	FPM sealed
Measuring method	Pirani
Weight	0.14 kg 0.31 lb
Connection flange	DN 10 ISO-KF
Weight	0.55 kg
Filament	Tungsten

Order number	Pirani gauge TPR 010, DN 10 ISO-KF
Pirani gauge TPR 010, DN 10 ISO-KF	PT R02 270

Accessories	Pirani gauge TPR 010, DN 10 ISO-KF
Filter SB/BZ/BC 6.30.30, 6 x 3	B41612003G
Washer	BG510856
Circular spring	BG510857



Errors and/or changes excepted. - 9/30/2025

Are you looking for an optimum vacuum solution?

**Talk to us:
Pfeiffer Vacuum GmbH
Germany
T +49 6441 802-0**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

**Follow Us On Social Media
#pfeiffervacuum**



PFEIFFER 

www.pfeiffer-vacuum.com